



## SAFE WORK PRACTICE

|  |  |
|--|--|
| <b>TITLE</b>   | Hazard Control Signage   |
| <b>GENERAL</b>   | Protecting workers from injuries associated with improper use of warning signs   |
| <b>APPLICATION</b>   | Work sites should have appropriate and adequate signage to identify site hazards in place prior to the commencement of any work process.   |
| <b>PROTECTIVE MECHANISMS</b>   | Safe work procedures<br>Government Legislation<br>Local jurisdictions<br>Worksite traffic guidelines<br>PPE  |
| <b>SELECTION AND USE</b>   | As per safe work procedures  |
| <b>SUPERVISOR RESPONSIBILITY</b>   | To facilitate and/or provide proper instruction to their workers on protection requirements and training<br>Signage selection<br>Hazard analysis   |
| <b>WORKER RESPONSIBILITY</b>   | <ol style="list-style-type: none"><li>1. Ensure signage is in good condition, clean, legible and suited to the purpose.</li><li>2. Ensure traffic control signage is of accepted standards.</li><li>3. Ensure signage is secured.</li><li>4. Routinely inspect signage for placement, cleanliness and physical damage.</li><li>5. Ensure road traffic control signage is covered when no activity is present.</li><li>6. Ensure you are fully trained to erect road traffic signage.</li></ol> |
| <p>* The information presented in this publication is intended for general use and may not apply to every circumstance. It is not a definitive guide to government regulations and does not relieve persons using this publication from their responsibilities under applicable legislation. The Alberta Construction Safety Association does not guarantee the accuracy of, nor assume liability for, the information presented here. Individual counselling and advice are available from the Association.</p> |  |